

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/955,969	09/20/2001	Yoshitsugu Hama	2001_1299A	1913
513	7590 04/16/2004		EXAM	INER
	TH, LIND & PONAC	MENON, KRISHNAN S		
2033 K STREET N. W. SUITE 800			ART UNIT	PAPER NUMBER
WASHINGTON, DC 20006-1021			1723	

DATE MAILED: 04/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Advisory Action	09/955,969	HAMA ET AL.				
Advisory Action	Examiner	Art Unit				
	Krishnan S Menon	1723				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address						
THE REPLY FILED 06 April 2004 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may <u>only</u> be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.						
PERIOD FOR REPLY [check either a) or b)]						
a) The period for reply expires 3 months from the mailing date of the final rejection. b) The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
1. A Notice of Appeal was filed on Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.						
2. The proposed amendment(s) will not be entered because:						
(a) Ithey raise new issues that would require further consideration and/or search (see NOTE below);						
(b) ☐ they raise the issue of new matter (see Note below);						
(c) they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or						
(d) they present additional claims without cancel	ling a corresponding number of	finally rejected claims.				
NOTE: see attached.						
3. Applicant's reply has overcome the following rejection(s):						
4. Newly proposed or amended claim(s) would canceling the non-allowable claim(s).	l be allowable if submitted in a s	eparate, timely filed amendment				
5. ☐ The a) ☐ affidavit, b) ☐ exhibit, or c) ☐ request fo application in condition for allowance because:		sidered but does NOT place the				
6. The affidavit or exhibit will NOT be considered be raised by the Examiner in the final rejection.	cause it is not directed SOLELY	to issues which were newly				
For purposes of Appeal, the proposed amendment(s) a) will not be entered or b) will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.						
The status of the claim(s) is (or will be) as follows:						
Claim(s) allowed:						
Claim(s) objected to:						
Claim(s) rejected:						
Claim(s) withdrawn from consideration:						
The drawing correction filed on is a) approved or b) disapproved by the Examiner.						
9. Note the attached Information Disclosure Stateme	Note the attached Information Disclosure Statement(s)(PTO-1449) Paper No(s)					
10. Other: Response to arguments attached		м.				

Art Unit: 1723

Response to Amendment

The newly added limitation, "of a single layer", in the independent claims 1 and 12 is a new issue that requires new consideration and search, and therefore, the amendment is not entered.

Response to Arguments

Applicant's arguments filed 4/6/04 have been fully considered but they are not persuasive.

Since the arguments are based on the newly added limitation, arguments are most since the amendment is not entered.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Krishnan S Menon whose telephone number is 571-272-1143. The examiner can normally be reached on 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda L Walker can be reached on 571-272-1151. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/955,969

Art Unit: 1723

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Krishnan Menon Patent Examiner

W. L. WALKER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700